



EN

DECLARATION OF PERFORMANCE

in accordance with Annex III of Regulation (EU) No. 305/2011 (Construction Products Regulation)

MT System, MV-ACS System, MIQ System, MI System

No. Hilti-IS-DoP-018

1. Unique identification code of the product type: MT System, MV-ACS System, MIQ System, MI System (see table 1 “Hilti EN1090-1/-2 Conformed Items”)

2. Type, batch or serial number or other element allowing identification of the construction product in accordance with Article 11 (4): see type, batch or serial number displayed on the packaging/product

3. Intended use or uses of the construction product in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Structural components for steel structures, welded and non-welded steel elements with and without corrosion protection for steel works for product families “MT System”, “MV-ACS system”, “MIQ System”, “MI System” as defined in the document “Hilti EN1090 -1/-2 Conformed Items”

4. Name, registered trade name or registered trade mark and contact address of the manufacturer in accordance with Article 11 (5): Hilti Aktiengesellschaft, Feldkircherstrasse 100, 9494 Schaan, Liechtenstein

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2): n/a

6. System or systems for the assessment and verification of performance of the construction product as set out in Annex V: System 2+

7. In case the declaration of performance concerns a construction product that is covered by a harmonized standard: gbd zert GmbH, Steinebach 13a, A-6850 Dornbirn has assumed the third-party responsibilities for System 2+ in accordance with EN 1090-1 Annex ZA and has confirmed the conformity of the factory production control with the issuance of Certificates Number 2397-CPR-65/2667 and Number 2397-CPR-65/2584

8. In case the declaration of performance concerns a construction product for which a European Technical Assessment has been issued: n/a

9. Declared performance

Essential characteristics	Declared performance	Harmonized technical specification
Tolerances on dimensions and shape	EN 1090-2 D1	EN 1090-1:2009+A1: 2011
Weldability	See table 1 “ <u>EN1090-1/-2 Conformed Items</u> ”	
Fracture toughness, Impact resistance	See table 1 “ <u>EN1090-1/-2 Conformed Items</u> ”	
Loadbearing capacity	NPD	
Deformation at serviceability limit state	NPD	
Fatigue strength	NPD	
Resistance to fire	NPD	
Reaction to fire	A1 in acc. with EN 13501	
Release of cadmium and its compounds	NPD	
Emission of radioactivity	NPD	
Durability	See table 1 “ <u>EN1090-1/-2 Conformed Items</u> ”	

Table 1: EN1090-1/-2 Conformed Item List

Item Number	Description	Weldability	Fracture toughness / Impact resistance	Durability
233856	MIC-TRC M12-1/2"	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
233857	MIC-TRC M16	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
233858	MIC-TRC M20-3/4"	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304798	Girder MI-90 3m	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304799	Girder MI-90 6m	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304800	Girder MI-120 3m	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304801	Girder MI-120 6m	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304805	Connector MIC-90-L	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304806	Connector MIC-U-MA	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304807	Connector MIC-T	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304808	Connector MIC-SC120	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Zinc Epoxy Primer Paint
304809	Connector MIC-90-E	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304810	Connector MIC-120-E	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304811	Connector MIC-S90-AA steel	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304824	Connector MIC-SC90	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Zinc Epoxy Primer Paint
304825	Connector MIC-C90-AA concrete	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
304881	Connector MIC-MI/MQ-X	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
305710	Connector MIC-90-L-AP	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
431681	Angle MIC-U-EL	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
431682	Fork MIC-U-EF	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2048091	MV-ACS 500	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Galvanized; EN ISO 2081

Item Number	Description	Weldability	Fracture toughness / Impact resistance	Durability
2048092	MV-ACS 780	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Galvanized; EN ISO 2081
2048093	MV-ACS 500 HDG	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2048094	MV-ACS 780 HDG	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2119866	Girder MIQ-90 3m	S275JR; EN10025-2 DD11 MOD; HN 555-4	S275JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2119867	Girder MIQ-90 6m	S275JR; EN10025-2 DD11 MOD; HN 555-4	S275JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2119868	Connector MIQC-90-L	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2120143	Connector MIQC-SC	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Uncoated
2120144	Connector MIQC-C90 concrete	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2120270	Connector MIQC-S90-AC steel	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2120271	Connector MIQC-S90-AP steel	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2120272	Connector MIQC-S90-BC steel	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2120273	Connector MIQC-S90-BP steel	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2123564	Connector MIQB-CD concrete	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2123565	Connector MIQB-SA steel	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2123566	Connector MIQB-SB steel	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2123881	Connector MIQC-90-HT set	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2134818	Connector MIQC-90-HT-V	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2134819	Connector MIQC-C90-U concrete	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2140257	Connector MIQC-90-MI	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2140258	Connector MIQC-90-MI-V	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2140259	Connector MIQC-90-E	S275JR; EN10025-2	S275JR, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2149279	Connector MIC-C90-EDB	S355 MC; EN 10149-2	NPD	Hot Dip Galvanized; EN ISO 1461
2149420	Connector MIC-C120-EDB	S355 MC; EN 10149-2	NPD	Hot Dip Galvanized; EN ISO 1461

Item Number	Description	Weldability	Fracture toughness / Impact resistance	Durability
2161806	Connector MIQC-C90-U-V	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2162850	MIC-PH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2165050	Connector MIC-90-LH	S235JR; EN 10025-2	S235JR, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2172059	MV-ACS VF 780	S235JR; EN10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174661	Connector MIC-C90-DH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174662	Connector MIC-C120-DH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174663	Baseplate MIB-CDH	S235JR; EN 10025-2	S235JR, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174664	Connector MIC-CU-MAH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174665	Connector MIC-S90-AH	S235JR; EN 10025-2	S235JR, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174666	Connector MIC-S90-BH	S235JR; EN 10025-2	S235JR, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174667	Connector MIC-S90-CH	S235JR; EN 10025-2	S235JR, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174668	Connector MIC-S120-AH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174669	Connector MIC-S120-BH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174670	Connector MIC-S120-CH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174671	Connector MIC-SA-MAH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174672	Connector MIC-SB-MAH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174673	Connector MIC-SC-MAH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174674	Baseplate MIB-SAH	S235JR; EN 10025-2	S235JR, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174675	Baseplate MIB-SBH	S235JR; EN 10025-2	S235JR, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174676	Baseplate MIB-SCH	S235JR; EN 10025-2	S235JR, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2174677	Connector MIC-BA	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2179532	Connector MIC-BAH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2179533	MIC-90-UH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461

Item Number	Description	Weldability	Fracture toughness / Impact resistance	Durability
2179534	MIC-120-UH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2179535	MIC-C90-UH	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2193291	MIQC-PH OHG	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2193292	MIQC-90-LOHG	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203570	Bracket MIC-S120-CH-1500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203571	Bracket MIC-S120-CH-2000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203572	Bracket MIC-C90-DH-500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203573	Bracket MIC-C90-DH-750	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203574	Bracket MIC-C90-DH-1000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203575	Bracket MIC-C90-DH-1500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203576	Bracket MIC-C90-DH-2000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203577	Bracket MIC-C120-DH-500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203578	Bracket MIC-C120-DH-750	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203579	Bracket MIC-C120-DH-1000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203580	Bracket MIC-C120-DH-1500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203581	Bracket MIC-C120-DH-2000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203582	Bracket MIC-S90-AH-500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203583	Bracket MIC-S90-AH-750	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203584	Bracket MIC-S90-AH-1000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203585	Bracket MIC-S90-AH-1500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203586	Bracket MIC-S90-AH-2000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203587	Bracket MIC-S90-BH-500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203588	Bracket MIC-S90-BH-750	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461

Item Number	Description	Weldability	Fracture toughness / Impact resistance	Durability
2203589	Bracket MIC-S90-BH-1000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203590	Bracket MIC-S90-BH-1500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203591	Bracket MIC-S90-BH-2000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203592	Bracket MIC-S90-CH-500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203593	Bracket MIC-S90-CH-750	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203594	Bracket MIC-S90-CH-1000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203595	Bracket MIC-S90-CH-1500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203596	Bracket MIC-S90-CH-2000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203597	Bracket MIC-S120-AH-500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203598	Bracket MIC-S120-AH-750	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203599	Bracket MIC-S120-AH-1000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203600	Bracket MIC-S120-AH-1500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203601	Bracket MIC-S120-AH-2000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203602	Bracket MIC-S120-BH-500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203603	Bracket MIC-S120-BH-750	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203604	Bracket MIC-S120-BH-1000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203605	Bracket MIC-S120-BH-1500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203606	Bracket MIC-S120-BH-2000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203607	Bracket MIC-S120-CH-500	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203608	Bracket MIC-S120-CH-750	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461
2203609	Bracket MIC-S120-CH-1000	S235JR; EN 10025-2 DD11 MOD; HN 555-4	S235JR, 27J@20°C; DD11 MOD, 27J@20°C	Hot Dip Galvanized; EN ISO 1461

Item Number	Description	Weldability	Fracture toughness / Impact resistance	Durability
2268364	MT-70 S OC	S350 GD; EN10346	NPD	ZM310 A-C; EN10346
2268365	MT-70 OC	S350 GD; EN10346	NPD	ZM310 A-C; EN10346
2268366	MT-80 S OC	S350 GD; EN10346	NPD	ZM310 A-C; EN10346
2268367	MT-80 OC	S350 GD; EN10346	NPD	ZM310 A-C; EN10346
2268368	MT-90 S OC	S350 GD; EN10346	NPD	ZM310 A-C; EN10346
2268369	MT-90 OC	S350 GD; EN10346	NPD	ZM310 A-C; EN10346
2268490	MT-100 S OC	S350 GD; EN10346	NPD	ZM310 A-C; EN10346
2268491	MT-100 OC	S350 GD; EN10346	NPD	ZM310 A-C; EN10346
2272064	MT-C-GS OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272066	MT-C-GL OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272068	MT-C-GS A OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272069	MT-C-GL A OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272070	MT-U-GL1 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272073	MT-C-GSP L OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272074	MT-C-GSP T OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272075	MT-C-GLP T OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272076	MT-ES-90 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272078	MT-ES-70 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272100	MT-B-GS T OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272101	MT-B-GS O4U OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272103	MT-B-GL O4 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272104	MT-B-GXL O4 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272106	MT-B-GXL S1 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M

Item Number	Description	Weldability	Fracture toughness / Impact resistance	Durability
2272107	MT-B-GXL S2 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272108	MT-B-GXL S3 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272109	MT-B-G WS OC	Steel Q355B; GB/T1591	NPD	Two component primer
2272110	MT-P-GXL S1 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2272116	MT-AB-G T OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2273587	MT-BC-GS T OC	Strength class 8.8; EN ISO 898-1, Strength class 8; DIN 267-4, 65Mn; GB/T 699, QT400; GB/T 1348, Steel Q235B; GB/T 700	NPD	Hot Dip Galvanized; ASTM A 153M
2273589	MT-BC-GXL T OC	Strength class 8.8; EN ISO 898-1, Strength class 8; DIN 267-4, 65Mn; GB/T 699, QT400; GB/T 1348, Steel Q235B; GB/T 700	NPD	Hot Dip Galvanized; ASTM A 153M
2273681	MT-FA-G M10 3/8 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2273682	MT-FA-G M12 1/2 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2273683	MT-FA-G M16 5/8 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2273684	MT-FA-G M22 7/8 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2273685	MT-FA-G M24 1 OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2273701	MT-FPS-GL OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M
2273702	MT-FPS-GS OC	Steel Q355B; GB/T1591	NPD	Hot Dip Galvanized; ASTM A 153M

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Team Lead Code and Approval
Business Unit Installation Systems
Hilti Corporation, Schaan, FL

Code and Approval Expert
Business Unit Installation Systems
Hilti Corporation, Schaan, FL